

Hunting Creek Watershed –Provisional Mainstem Fish
Blockage Locations (2003) (Draft)




Table 1 - Hunting Creek Watershed – Provisional Mainstem Fish Blockage Description (2003) - Draft

| Fish Blockage Number | Jurisdiction | Approximate Location Description | Description / Structure Type | Blockage Height (ft) | Mainstem Location | Approx. Upstream Distance Opened (ft) | Latitude | Longitude |
|-----------------------------|---------------------|--|---|-----------------------------|--------------------------|--|-----------------|------------------|
| 1. | City of Alexandria | 2,900 ft. above Telegraph Rd. | Concrete Grade Control | 6.0 | Cameron Run | 1,688 | 38.80261 | -77.08713 |
| 2. | City of Alexandria | 4,600 ft. above Telegraph Rd. | Concrete Grade Control | 3.6 | Cameron Run | 740 | 38.80330 | -77.09299 |
| 3. | City of Alexandria | 5,300 ft. above Telegraph Rd. | Sheet Pile/ Concrete Grade Control | 2.3 | Cameron Run | 1,554 | 38.80371 | -77.09552 |
| 4. | City of Alexandria | 6,800 ft. above Telegraph Rd. | Concrete Grade Control (with toe concrete anti-scour pad) | 3.3 | Cameron Run | 837 | 38.80403 | -77.10097 |
| 5. | City of Alexandria | 7,000 ft. above Telegraph Rd. | Concrete Grade Control (with toe concrete anti-scour pad) | 5.1 | Cameron Run | 635 | 38.80417 | -77.10389 |
| 6. | City of Alexandria | 40 ft. above Eisenhower Ave. | Concrete Cap/Utility Line Crossing | 1.9 | Cameron Run | 2,048 | 38.80455 | -77.10609 |
| 7. | City of Alexandria | 2,100 ft. above Eisenhower Ave. | Concrete Cap/Utility Line Crossing | 2.3 | Holmes Run | 1,767 | 38.80810 | -77.11159 |
| 8. | City of Alexandria | 300 ft. above Duke St. | Sheet Pile/Concrete Grade Control | 6.7 | Holmes Run | 478 | 38.81256 | -77.11357 |
| 9. | City of Alexandria | 740 ft. above Duke St. | Sheet Pile/Concrete With Grouted Rip-Rap Grade Control | 6.3 | Holmes Run | 987 | 38.81335 | -77.11490 |
| 10. | City of Alexandria | 1,700 ft. above Duke St. | Grouted Rip Rap Grade Control | 2.1 | Holmes Run | 1,372 | 38.81477 | -77.11776 |
| 11. | City of Alexandria | 3,000 ft. above Duke St. | Sheet Pile/Grouted Rip-Rap Grade Control | 2.0 | Holmes Run | 1,672 | 38.81628 | -77.12215 |
| 12. | City of Alexandria | 4,600 ft. above Duke St. | Notched Concrete Grade Control (with toe concrete anti-scour pad) | 8.5 | Holmes Run | 1,200 | 38.81869 | -77.12707 |
| 13. | City of Alexandria | | Sheet Pile/Concrete Hiker/Biker Grade Control | 8.3 | Holmes Run | 2,060 | 38.82161 | -77.12869 |
| 14. | City of Alexandria | 240 ft. above I 395 | Concrete Cap/Utility Line Crossing | 2.3 | Holmes Run | 400 | 38.82622 | -77.13238 |
| 15. | City of Alexandria | 390 ft. above Beauregard St. | Concrete Hiker/Biker Ford | 2.9 | Holmes Run | 340 | 38.82723 | -77.13300 |
| 16. | City of Alexandria | 800 ft. above Beauregard St. | Concrete Cap/Utility Line Crossing | 2.8 | Holmes Run | 8,500 | 38.82814 | -77.13332 |
| 17. | City of Alexandria | 1,170 ft. above Beauregard St. | Concrete Cap/Utility Line Crossing | 2.0 | Holmes Run | 11,180 | 38.84297 | -77.14482 |
| 18. | Fairfax County | 400 ft. above Columbia Pike. | Lake Barcroft Spillway Dam | TBD | Holmes Run | 13,200 | 38.84320 | -77.14449 |
| 19. | Fairfax County | 1,000 ft. above Sleepy Hollow Rd. | Trees, Debris | TBD | Holmes Run | 850 | 38.84668 | -77.17846 |
| 20. | Fairfax County | 1,800 ft. above Sleepy Hollow Rd. | Trees, Debris | TBD | Holmes Run | 4,900 | 38.84696 | -77.18057 |
| 21. | Fairfax County | 500 ft. above Cow Branch/Holmes Run confluence | Trees, Debris | TBD | Holmes Run | 265 | 38.85058 | -77.19381 |
| 22. | Fairfax County | 700 ft. above Cow Branch/Holmes Run confluence | Trees, Debris | TBD | Holmes Run | 4,060 | 38.85103 | -77.19447 |
| 23. | Fairfax County | 2,600 ft. above Annandale Rd. | Trees, Debris | TBD | Holmes Run | 2,160 | 38.85354 | -77.20177 |
| 24. | Fairfax County | 4,700 ft. above Annandale Rd. | Trees, Debris | TBD | Holmes Run | 440 | 38.85538 | -77.20657 |
| 25. | Fairfax County | 5,100 ft. above Annandale Rd. | Trees, Debris | TBD | Holmes Run | 380 | 38.85574 | -77.20736 |
| 26. | Fairfax County | 5,480 ft. above Annandale Rd. | Trees, Debris | TBD | Holmes Run | 46 | 38.85632 | -77.20866 |
| 27. | Fairfax County | 5,520 ft. above Annandale Rd. | Trees, Debris | TBD | Holmes Run | 100 | 38.85660 | -77.20996 |
| 28. | Fairfax County | 5,610 ft. above Annandale Rd. | Trees, Debris | TBD | Holmes Run | 570 | 38.85663 | -77.21010 |
| 29. | Fairfax County | 6,160 ft. above Annandale Rd. | Trees, Debris | TBD | Holmes Run | 17,400 | 38.85673 | -77.21043 |
| 30. | Fairfax County | 1,500 feet upstream of Arlington Blvd. | Fairview Lake Spillway Dam | TBD | Holmes Run | 10,400 | 38.85984 | -77.21313 |

TBD = To be determined